	Application No.	Applicant(s)
	дрисалон но.	
Notice of Allowability	10/044,613	LATTO ET AL.
Notice of Allowability	Examiner	Art Unit
	THUAN T. NGUYEN	2618
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to		
2. The allowed claim(s) is/are <u>1-8 and 11-22</u> .		
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the:		
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
 DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
		·
Attachment(s) 1. Notice of References Cited (PTO-892)	5 Notice of Informal D	atant Angliantian
2. ☐ Notice of Praftperson's Patent Drawing Review (PTO-948)	5. ☐ Notice of Informal P6. ☐ Interview Summary	
_	Paper No./Mail Dat	e
 Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 	7. 🔲 Examiner's Amendn	nent/Comment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛛 Examiner's Stateme	ent of Reasons for Allowance
	9.	
		,

Application/Control Number: 10/044,613

Art Unit: 2618

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 11/30/06 has been entered.

Remark

2. Claims 9-10 have been cancelled, and claim 22 has been added. Claims 1-8, and 11-22 are pending for reconsideration.

Allowable Subject Matter

3. Claims 1-8, and 11-22 have been allowed.

Reasons for Allowance

4. The following is an examiner's statement of reasons for allowance:

The prior art of record either alone or combine fails to teach or suggest an electronic device with a replaceable ornament insert as cited in claim 1, the ornament insert is positioned between the removable faceplate and the first surface of the base of the device in a manner that a portion of the ornament insert is viewable through the substantially transparent section, and the ornamental insert is punched out of a sheet of paper after a user of the electronic device has

Art Unit: 2618

printed an ornamental design thereon; further including a display aperture as cited in claim 11; a retention feature as in claim 12; and as in claim 17, with the faceplate coupled to the base of the device and the faceplate covering all of the upper surface of the base and the faceplate having a substantially transparent section.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

5. Any response to this action should be mailed to:

Commissioner of Patents and Trademarks

Washington, D.C. 20231

or faxed to the New Central Fax number:

(571) 273-8300, (for Technology Center 2600 only)

Hand deliveries must be made to Customer Service Window,

Randolph Building, 401 Dulany Street, Alexandria, VA 22314.

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tony Thuan Nguyen whose telephone number is (571) 272-7895. The examiner can normally be reached on Monday-Friday from 10:00 AM to 7:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edward Urban, can be reached at (571) 272-7899.

Art Unit: 2618

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Tony T. Nguyen Art Unit 2618 December 20, 2006